

WEED MANAGEMENT RECOMMENDATIONS

STRYAX™
DICAMBA HERBICIDE

Recommendation for Cotton National

See <https://www.stryaxapplicationrequirements.com/> for additional state specific requirements.

START CLEAN

use appropriate burndown herbicide at labeled rate or tillage

Pre-Emergence

At planting



3 pt/A

PLUS

LABELLED PRE-EMERGENCE HERBICIDE

(such as flumeturon, diuron, fomesafen)

Add Glyphosate (labeled rate) as needed

Post-Emergence Application

Apply 10-17 days after planting, on less than 3 inch weeds

STRYAX™
DICAMBA HERBICIDE

22 oz/A

PLUS

40 OZ/A QUALIFIED VOLATILITY
REDUCTION AGENT
+
QUALIFIED OIL EMULSION DRIFT
REDUCTION ADJUVANT (DRA) 0.3% V/V

PLUS



3 pt/A

PLUS

Glyphosate

labeled rate

2nd Post-Emergence Application if needed

21-32 days after planting and less than 3 inch weeds

OPTION 1

STRYAX™
DICAMBA HERBICIDE

22 oz/A

PLUS

40 OZ/A QUALIFIED VOLATILITY
REDUCTION AGENT
+
QUALIFIED OIL EMULSION DRIFT
REDUCTION ADJUVANT (DRA) 0.3% V/V

PLUS

Glyphosate

labeled rate

OPTION 2

GLUFOSINATE HERBICIDE
on XtendFlex® soybeans

(see label for use rates)

PLUS

Glyphosate

labeled rate

Under areas of intense pigweed pressure, consider adding Warrant® Herbicide.
Do not exceed 3 lbs ai of acetochlor per acre per year.

Stryax™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction adjuvant (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information visit www.StryaxApplicationRequirements.com. The user must check www.StryaxApplicationRequirements.com no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on www.StryaxApplicationRequirements.com.



See <https://www.stryxapplicationrequirements.com/> for additional state specific requirements.

Lay-By Hooded Sprayer

Post directed

OPTION 1	DIURON® HERBICIDE	PLUS	Glyphosate	PLUS	CROP OIL CONCENTRATE
	1.5 – 2 pts/A		labeled rate		
OPTION 2	DIURON® HERBICIDE	PLUS	MONOSODIUM METHANEARSONATE (MSMA)	PLUS	CROP OIL CONCENTRATE
	1.5 – 2 pts/A		2 lbs ai/A		
OPTION 3	DIURON® HERBICIDE	PLUS	MONOSODIUM METHANEARSONATE (MSMA)	PLUS	Glyphosate
	1.5 – 2 pts/A		2 lbs ai/A		labeled rate
				PLUS	CROP OIL CONCENTRATE

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

No dicamba may be used in-crop with seed with Roundup Ready® Xtend Technology, unless and until approved or specifically permitted in the state of application. Please follow www.roundupreadyxtend.com/pages/xtendimax-updates.aspx for status updates. Dicamba may harm plants that are not tolerant to dicamba.

Stryx™ herbicide is a restricted use pesticide and must always be tank-mixed with a qualified volatility reduction adjuvant (VRA), such as a VaporGrip® Xtra Agent, and a drift reduction agent (DRA) as required on the product label. For qualified VRAs and other important label information visit www.StryxApplicationRequirements.com.

The user must check www.StryxApplicationRequirements.com no more than 7 days before application of this product for additional labeling and any additional state-specific labeling. Where applicable, users must comply with additional requirements found on www.StryxApplicationRequirements.com.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer's biotechnology-derived products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Where applicable, commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from commercialized products can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for commercialized products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Stryx™ herbicide is a restricted use pesticide. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Bayer, Bayer Cross, Stryx™ herbicide, VaporGrip® and Warrant® Herbicide are registered trademarks of Bayer Group. Caparol® is a registered trademark of a Syngenta group company. LibertyLink logo® and LibertyLink® are trademarks of BASF Corporation. All other trademarks are the property of their respective owners. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.

